INDEX

Numbers

2D drawing controls
  `Ellipse/Line/`, 147
  overview, 145
  `Path`, 147–150
  `Polygon`, 150
  `Polyline`, 151
  `Rectangle`, 151–152
  stroke properties, 146–147
  summary, 152
3D drawing
  basic structure/geometry, 388–389
  building complex scenes. *See* complex 3D scenes
  cameras, 394–395
  lighting, 396–398
  materials, 399–400
  `Normals`, 391–393
  outward orientation, 389–391
  overview, 387–388
  `Positions/TriangleIndices`, 389
  summary, 405–406
  `TextureCoordinates`, 393–394
  WPF improvement, 12
3D scenes
  charts and graphs, 402–403
  generated textures, 404
  geometric shapes, 400–402
  overview, 400
  surfaces, 405

A

`A/a` command, 149
AccelDecelRatios program, 246, 248
`AccelerationRatio` property, 245
accelerator characters, with `Menu` control, 130
`AcceptsReturn` property, 142
  with `RichTextBox` control, 138
  with `TextBox` control, 142–143
`AcceptsTab` property
  with `RichTextBox` control, 138
  with `TextBox` control, 142
action wrappers, event `Triggers` and, 256
active animations, 224. *See also* animation
`AddBackEntry` property, 384
ADO.NET objects, binding. *See* database objects, binding
`AmbientLight`, 396–398
animated skins, 295–296. *See also* skin(s)
AnimatedText program, 254–255
animation
  classes, 552–553
  easy, 261–262
  motion in, 276
  overload, 3
  overview, 243–244
  for skinning, 295–296
  `Storyboards` and, properties, 245–247
  types. *See* animation types
  without `Storyboards`, 259–261
animation, and `Triggers`. *See also* `EventTriggers`, and animation
  animation classes, 552–553
  `EventTriggers`, 549–550
  property `Triggers`, 227–228, 241–243, 550–551
  `Storyboard` properties, 551
animation types
  discrete key frame, 250–251
  linear key frame, 249
  mix and match key frame, 252–254
  overview, 247
  path, 251–252
  simple linear, 247–248
  special cases, 254–255
  spline key frame, 249–250
AnimationWithoutStoryboards program, 259–261
`ApplicationCommands` class, 525–526
`ApplicationCommands.Copy`
  function of, 349
  optional use of, 350
applications
  Expression Blend. *See* Expression Blend
  new, in Visual Studio, 22
  types, in WPF, 9–10
applications, navigation-based
  `Frame` control, 385–386
  `Hyperlink`, 381–382
  `NavigationService`, 382–385
  overview, 379
  `Page` object, 380–381
  summary, 386
arrows, with `ScrollBar` control, 141
artboard, Window Designer, 39
Assets window, 40
attached properties, 160–163
attributes
  event name. *See* event name attributes
  XAML, 5
`Auto` value, with `ScrollViewer` control, 107–108
`AutoReverse` property, 245

COPYRIGHTED MATERIAL

B

Back button, 379, 382
backface removal, in 3D drawing, 391
background color
  with TabControl, 111
  transparent, 232
Background property
  of Border control, 90
  of ComboBox control, 124
  of Expander control, 105
Background="Blue" property, 127–128
BackgroundWorker class, 95–97
Band property, 111–113
BandIndex property, 111–113
BarChart/Graph programs, 403
BasedOn attribute, 225
basic animation, 552. *See also* animation
BeginStoryboard element, 236–237
BeginTime property, 245
BetterLabelTemplate program, 266
Bevel value, 168–169
BevelBitmapEffect property, 363–365
binding collections
  ListBox/ComboBox templates, 327–329
  overview, 325–327
  TreeView templates, 329–332
binding, command, 348, 352–354
binding components, 519
binding database objects
  binding Scores ListBox, 344
  binding student name ListBox, 342–343
  displaying Student details, 343–344
  loading data, 339–341
  overview, 338–339
  saving changes, 341–342
  summary, 345
binding master-detail data, 332–333
binding path, 323–325
binding source
  DataContext, 322–323
  defined, 317–318
  ElementName, 319
  RelativeSource, 320–322
  Source, 319–320
binding target, 317–319
binding target property, 317–319
binding, template, 265–266
BitmapEffect(s)
  classes, 533–534
  classes and features, 363–365
  functions of, 423
  property element, 156
  summary, 366
  with Triggers, 230–231
BlockUIContainer control, 373
BlurBitmapEffect property, 363–364
Bold
  element, 374–375
  inline, 88
Boolean data types, 254
Border
  overview, 425–426
  spatial control, 89–90
BorderBrush/Thickness properties
  of Border control, 90
  of Expander control, 105
  of TabControl control, 110
BouncingBall(s) program
  Silverlight and, 412–415
  Storyboards and, 257–259
Brush types
  classes, 495–496
  DrawingBrush, 496–498
  ImageBrush, 68–69, 498–499
  LinearGradientBrush, 172–173, 500–501
  RadialGradientBrush, 173–174, 501–502
  SolidColorBrush, 171, 502–503
  TileBrush, 174–178
  Viewports/Viewboxes, 506
  VisualBrush, 503–505
Brushes
  drawing, 49–50
  FillRule property, 170
  gradient, 44–45
  image, 46–49
  making, 43–44
  overview, 165–166, 170
  radial gradient, 68
  SpreadMethod property, 170–171
  summary, 178
  tile, 46
  transformed gradient, 45
  types. *See* Brush types
  visual, 50–52
BulletDecorator
  overview, 426
  spatial control function, 91
Button
  Command properties, 350–351
  control template, 547–548
  controls in SizeInContainers program, 62–63
  EllipseButton controls, 277
  EllipseButton program, 275–276
  EllipseButton Triggers, 278–280
  GlassButton program, 270–271
  GlassButton Styles, 272–273
  GlassButton Template overview, 271–272
  GlassButton Triggers, 274–275
  modifying with resources, 213–215
  mouse over, 231
  non-specific TargetTypes and, 219–220
  properties and features of, 120–121
  rotation, 237–238
  simplifying with Styles, 217–218
  in SkinInterfaces program, 298–301
  in UnnamedStyles program, 222–223
  user interaction control, 461–462
ButtonResources program, 195–196, 213–215
ButtonStyles program, 217–218
By property, of animation, 246

C

C/c command, 148
cameras, for 3D drawing, 394–395
CameraTypes program, 395
CanGoBack property, 385
CanGoForward property, 385
CanUndo/CanRedo properties, 137–138
Canvas
  attached properties, 424
  BouncingBalls program and, 412–415
  container, 62–64
  functions of, 102–103
  layout control, 443–444
CentralizedTriggers program, 238–239
Char data types, 254
charts, 3D, 402–403
CheckBox
  control template, 540

properties and features of, 121–122
user interaction control, 462–463
Checked event, 122
child controls
Button, 121
Canvas, 102–103
DockPanel, 103–104
Expander, 105
Grid, 105–107
ListBox, 129
ScrollViewer, 107–108
StackPanel, 108–109
StatusBar, 109
TabControl, 110–111
UniformGrid, 113–114
Viewbox, 114–115
WrapPanel, 117
child Style, 225
classes
animation, 243–244
binding to, 520–521
BitmapEffect. *See* BitmapEffect(s)
Brush. *See* Brushes
command. *See* command classes
to define objects in XAML, 326
ImageBrush. *See* ImageBrush class
Setter element, 215–217, 222
Click events
for event name attributes. *See* event name attributes
Relaxed Delegates and, 186–189
with RepeatButton control, 134–135
in SkinInterfaces program, 298–301
Clutter program, 2
code-behind
animation without Storyboards, 259–261
building FixedDocuments in, 370–371
collections in, 522–523
commands in, 532
for complex 3D scenes. *See* complex 3D scenes
defined, 179
events and. *See* events and code-behind
in Expression Blend, 58
separate from UI, 17
Silverlight and, 412–415
for WPF in Visual Studio, 31
code-generated output, 309–312
code reuse
abuse of, 194
resources and. *See* resources
code(s)
colorized in XAML Editor, 27
example, 181
simplifying with Styles, 218
collections, data binding
ListBox/ComboBox templates, 327–329
overview, 325–327
TreeView templates, 329–332
collections, in XAML code/code-behind, 522–523
color
changing with ListBox control, 129
properties, 66–67
selection, with Silverlight, 408–412
Stroke property and, 166–167
colorized code, in XAML Editor, 27
ColorList program, 324–325
column properties
with Grid control, 105–107
with Gridsplitter control, 127–128
with StackPanel control, 108–109
with Table control, 376–378
with UniformGrid control, 113–114
with WrapPanel control, 117
with XAML Editor, 27
ColumnWidths program, 321–322
CombinedTransformations program, 361
ComboBox control
overview, 463–464
properties and features of, 122–124
templates, for data binding, 327–329, 523
command binding
defined, 348
in DocumentCommands program, 352–354
command classes
ApplicationCommands, 525–526
in code-behind, 532
ComponentCommands, 526–527
EditingCommands, 527–529
MediaCommands, 530
NavigationCommands, 531
in XAML, 531–532
command source, 348
command target, 348
CommandImageInvert, 355–357
commanding
concepts, 348–349
overview, 347–348
Command(s)
custom, 355–358
defined, 348–349
Path mini-language, 148–149
predefined with actions, 349–352
predefined without actions, 352–354
RichTextBox control editing, 135–137
summary, 358
CommandTarget properties, 351–352
common properties
BitmapEffect, 423
Canvas attached, 424
color, 66–67
DockPanel attached, 423–424
drawing, 422
font, 65–66, 421–422
general, 417–421
Grid attached, 423
image shape, 67–69
miscellaneous, 69–71
overview, 61
size and position. *See* size/position properties
summary, 71
complex 3D scenes
charts and graphs, 402–403
generated textures, 404
geometric shapes, 400–402
overview, 400
surfaces, 405
ComplexBrush program, 155
ComponentCommands class, 526–527
container control
deleting drawings, 50
transformations and, 362
for WPF in Visual Studio, 23–25
container inheritance, 224
content controls
binding, 325
Border, 89–90, 425–426
BulletDecorator, 91, 426
defined/categories, 73
DocumentViewer, 426–427
FlowDocument. *See* FlowDocuments

content controls *(continued)*
FlowDocumentPageViewer, 18, 19, 430
FlowDocumentReader, 81–82, 313–315, 430
FlowDocumentScrollViewer, 82, 431
graphical, 75–76
GroupBox, 91–92, 431
Image. *See* Image control
Label. *See* Label(s)
ListView, 92–94, 433–434
MediaElement, 77–79, 434, 487–491
overview, 75
Popup, 83–86, 434–435
ProgressBar, 94–97, 435–436, 541–542
properties, methods and events, 74
Separator, 97–98, 436
spatial. *See* spatial controls
TextBlock. *See* TextBlock control
textual. *See* textual controls
ToolTip, 70, 89, 439–440
TreeView. *See* TreeView control
ContentMenuResource program, 198–199
ContentPresenter
in EllipseButton controls, 277
for templates, 264–265
ContentProvider, 264–265
ContentResource program, 197–198
contested inheritance, 16, 370
ContextMenu
building and functions of, 124–125
overview, 156
property, function of, 70
resource controls and, 198–199
user interaction control, 464–465
control templates
Button. *See* Button
CheckBox, 121–122, 462–463, 540
defined, 16, 539
Label. *See* Label(s)
LabeledProgressBar, 543
ModifiedScrollBar, 545–547
OrientedProgressBar, 542
ProgressBar, 541–542
RadioButton, 133–134, 474–475, 541
ScrollBar, 140–141, 482, 543–545
Control Toolbox, 57–58
control(s)
2D drawing. *See* 2D drawing controls
categories, 73
child. *See* child controls
container. *See* container control
content. *See* content controls
double-clicking, 185
dropdown, 56
EllipseButton, 277
Grid. *See* Grid control
item, 325
layout. *See* layout controls
MediaElement, 77–79, 434, 487–491
modifying appearance, 15–16
modifying structure/behavior, 16
necessary names for, 30–31, 70
new, in WPF, 17–18
property inheritance in, 15
resource, 197–199
skinning, 298
templates. *See* control templates
user interaction. *See* user interaction controls
visual brush, 50–51
in Window Designer, 23–25
ControlStyle program, 220
copying
approaches to, 347–348
with TextBox, 433
CornerRadius property, 90
[Ctrl]+Y, for redoing, 137
[Ctrl]+Z, for undoing, 137
culling, in 3D drawing, 391
custom Commands, 355–358

D

data
hierarchical, 329–332
loading, 339–341
master-detail, 332–333
Data attribute, 148–149
data binding
basics, 317–318
binding components, 519
to classes in code-behind, 520–521
to classes in XAML code, 521
collections. *See* collections, data binding
database objects. *See* database objects, binding
to elements by name, 519
ListView and, 92–94
making data collections, 521–523
master-detail data, 332–333
overview, 317
to provide animation, 14
to RelativeSource, 520
source, 319–323
target and target property, 318–319
using ListBox/ComboBox templates, 523
using TreeView templates, 523–524
XAML, 333–335
XML, 335–338
data templates, 16
data types
animation classes with, 247
Char, 254
simple, storing in resources, 199–201
database objects, binding
displaying Student details, 343–344
loading data, 339–341
overview, 338–339
saving changes, 341–342
Scores ListBox, 344
student name ListBox, 342–343
summary, 345
DataContext property, 322–323
DateTimePicker control, 115–117
DecelerationRatio property, 245
declarative programming, in WPF, 18
default Button, 270–271
default event handlers, 32–33
default Style
in GlassButton program, 272–273
property values and, 224
Delay property, 134–135
dependency properties
binding, to provide animation, 14
data binding, 319
dictionaries
merged resource, 204–207
resource, 194, 200–201
DiffuseMaterial, 399–400
Direct3D, 387
DirectionalLight, 396–398
DirectX
defined, 10
Direct3D in, 387
multimedia support with, 11–12

transformations, effects and. *See* BitmapEffect(s); transformations
disabled Style, 272–273
Disabled value, 107–108
DisabledLabelTemplates program, 268–269
disadvantages, of WPF, 19
discrete key frame animation, 250–251
display XPath expressions
item node selected, 518
order node selected, 517
DisplayMemberPath property, 343
DockPanel
attached properties, 423–424
binding Path and, 324
container, 62–64
functions of, 103–104
layout control, 444–445
document printing
FixedDocuments, 315–316
FlowDocuments, 313–315
overview, 312
of pictures, 304
Document property, 135
DocumentCommands program, 352–354
DocumentNewAllowed routine, 354
DocumentPaginator class
FlowDocument printing and, 313–315
in PrintDialog object, 310–312
documents
FixedDocuments. *See* FixedDocuments
FlowDocuments. *See* FlowDocuments
overview, 367
saving as XPS file, 371–372
summary, 378
DocumentViewer control
for displaying XPS documents, 369
functions of, 79–80, 426–427
in PrintFixedDocument program, 315–316
in SimpleFixedDocument program, 370–371
double-clicking control, 185
DoubleAnimation objects, 244, 248
Drawing
property element, 175–177, 422
retained-mode, 12–13
types, 497
DrawingBrush
Brush types, 496–498
in Expression Blend, 49–50
properties and features of, 175–177
drop shadows
BitmapEffect property, 363–364
with MenuItem control, 131
TileMode property and, 48
dropdown list, 122–124
DropShadowBitmapEffect property, 363–364
Duration property, 245
dynamic resources, 207–211
dynamically loaded skins, 297–301
DynamicLabelResource program, 207–208

E

editing commands, most useful, 136–137
EditingCommands class, 135–137, 527–529
editors
in Expression Blend, 40
in Visual Studio, 29
effects. *See* BitmapEffect(s)
Effects Program, 363–364
ElementName property, 322–323
elements, in XAML, 5
Ellipse control
properties and features of, 147
in SkinInterfaces program, 298–301
EllipseButton program
basics, 275–276
controls, 277
Triggers, 278–280
EmbossBitmapEffect property, 363–364
EmissiveMaterial, 399–400
EndPoint property, 172–173
EnterActions sections
EllipseButton Triggers and, 278–279
in property Triggers, 241–242
EvenOdd value, 170
event
control feature, 74
template, 268–269
event handlers
with Button control, 120–121
creating in Expression Blend, 184–185
creating in Visual Studio, 185–186
default, 32–33
examples, 32
loading XAML files with, 297
non-default/handmade, 33
at run time, 189–190
run time attached/other Visual Basic, 34
SizeChanged, 412–415
Window_Loaded, 333, 340
event name attributes
for attaching code-behind to UI, 181–184
creating event handlers in Expression Blend, 184–185
creating event handlers in Visual Studio, 185–186
Relaxed Delegates, 186–189
events and code-behind
code-behind files, 179–180
event handlers at run time, 189–190
event name attributes. *See* event name attributes
example code, 181
Handles clauses, 190
overview, 179
summary, 191
EventTriggers, 549–550
EventTriggers, and animation. *See also* animation, and Triggers
animation types. *See* animation types
animation without Storyboards, 259–261
controlling Storyboards, 255–256
easy animations, 261–262
event Trigger functions, 236–237
locations, 237–240
media and timelines, 256–259
overview, 235
property Trigger animations, 241–243
Storyboards and animation properties, 245–247
Storyboards, building, 243–244
Storyboards in property elements, 240

EventTriggers *(continued)*
Storyboards in Styles, 240–241
summary, 262
example(s)
codes, 181
downloading, 3
ExitActions sections
EllipseButton Triggers and, 278–279
in property Triggers, 241–242
ExpandDirection property, 105
Expander
layout control, 445–446
properties and features of, 105
Expression Blend
Assets window/Projects window tab, 40
code-behind, 58
Control Toolbox, 57–58
creating event handlers in, 184–185
default namespace declarations, 204
displaying XPS documents, 369
easy animation and, 261–262
events/code-behind in. *See* events and code-behind
example, 446
new WPF projects in, 38–39
Objects and Timeline, 54–55
opening programs, 22
overview/installation, 37
Pens, 52–53. *See also* Pen(s)
Properties window. *See* Properties window
Property resources, 53
Resources window, 54
specific themes in, 287
Storyboards, 55–56. *See also* Storyboards
Styles, 53–54. *See also* Style(s)
summary, 58–59
Triggers, 56–57. *See also* Trigger(s)
updating ToolBars, 112
Window Designer, 40–41
with WindowsFormsHost control, 117
Extended value, 128–129
eXtensible Application Markup Language. *See* XAML (eXtensible Application Markup Language)

F

F0 command, 148
F1 command, 148
Figure element, 374–375
Fill property, 146
Fill value, 115
FillBehavior property, 245
FillRule property, 170, 171
FixedDocuments
building in XAML, 370–371
building XPS documents, 368
displaying XPS documents, 368–369
for document printing, 315–316
overview, 367
FixedPage object, 370–371
Flat value, 168, 169
Floater element, 374–375
floaters, in FlowDocuments, 19
FlowDocumentPageViewer
content controls, 430
example of, 18, 19
FlowDocumentPageViewer controls, 81
FlowDocumentReader
bug alert, 315
content control, 430
displaying FlowDocument, 81–82
in PrintFlowDocument program, 313–315
FlowDocuments
BlockUIContainer, 373
content controls, 427–429
controls, 81–82
for document printing, 313–315
List control, 373–374
overview, 372–373
Paragraph control, 374–376
Section control, 376
special features of, 18
Table control, 376–378
FlowDocumentScrollViewer
content control, 431
displaying FlowDocument, 82
font properties
most useful, 65–66
summary, 421–422
FontFamily property, 65
FontSize property, 66
FontStyle property, 66
FontWeight property, 66
Foreground property, 105
Foundation Expression Blend 3 with Silverlight (Gaudioso), 37
Frame control
overview, 385–386
properties and features of, 126, 465–467
FrameApp program, 385–386
From property
of animation, 246, 247
in BouncingBall program, 258–259

G

Gasket3D program, 12
general properties, 417–421
generated textures, 404
geometry, of 3D drawing, 388–389
GetPage method, 311–312
GlassButton program
basics, 270–271
Styles, 272–273
Template overview, 271–272
Triggers, 274–275
goals of WPF
better use of graphics hardware, 10–13
consistent control containment, 16
declarative programming, 18
new controls, 17–18
property binding for animation, 14
property inheritance, 15
separate UI and code-behind, 17
styles, 15–16
templates, 16
GoBack property, 385
GoForward property, 385
gradient Brushes, 44–45
GradientOpacityMask program, 67–68
GradientOrigin property, 173–174
GradientPens program, 167
graphical controls, 75–76
graphics. *See* 2D drawing controls; 3D drawing
graphics hardware improvement
3D graphics, 12
better multimedia support, 11
high resolution vector graphics, 13
overview, 10
retained-mode drawing, 12–13
transformations, 11–12

graphs, 3D, 402–403
Grid attached properties, 423
Grid container, 62–64
Grid control
  functions of, 105–107
  layout control, 447–448
  layout controls, 4
  for PrintWindow program, 308–309
  in SkinInterfaces program, 298–301
Grid.Background property element, 155
Grid.Column="1" property, 127–128
Grid.ColumnDefinitions property element, 156
Grid.RowDefinitions property element, 156
Grid.RowSpan="2" property, 127–128
Gridsplitter
  properties and features, 127–128
  user interaction control, 467–470
GroupBox
  overview, 431
  with RadioButton control, 133–134
  spatial control function, 91–92
GroupBoxColors program, 67
Growing Buttons program, 14
  property animation and, 243

H

H/h command, 148
Handles clauses, 190
handmade event handlers, 33
Header property
  of Expander control, 105
  with MenuItem control, 130–132
Header property element, 156
Height property
  for control's alignment, 61–64
  with Ellipse control, 147
  with Rectangle control, 151–152
Hidden value, 107–108
HierarchicalDataTemplate
  in OrgChartTreeView program, 329–332
  in OrgChartXaml program, 335
  in OrgChartXml program, 337–338
hierarchies, resource, 201–204
high resolution vector graphics, 13
HorizontalAlignment property
  for control's alignment, 61–64
  with Ellipse control, 147
  with Rectangle control, 151–152
HorizontalAlignment="Left" property, 127–128
HorizontalContentAlignment property, 129
HorizontalOffset property, 84
HorizontalScrollBarVisibility
  property default, 449
  with RichTextBox control, 138
  with ScrollViewer control, 107–108
  with TextBox control, 142
Hyperlink
  element, 375
  inline, 88
  navigation, 381–382

I

Icon property, 132
IDocumentPaginatorSource interface, 313–315
Image control
  features of, 76, 432
  in Planets program, 328
  shape properties, 67–69
  in UnnamedStyles program, 222–223
  using resources, 198–199
ImageBrush class
  Brush types, 498–499
  in Expression Blend, 46–49
  for opacity masks, 68–69
  properties and features of, 174–175
ImageColors program, 355–358
ImageOpacityMask program, 68–69
ImageTriggers program, 231–233
indeterminate state
  with Checkbox control, 121–122
  with RadioButton control, 134
inheritance
  contested, 16, 370
  property, 15
inherited Styles, 225–227, 537
inlines, most useful TextBlock, 88
InlineUIContainer element, 375
InlineUIContainer inline, 88
IntelliSense, 186
InterestingLabelTemplates program, 266–268
Interval property, 134–135
IsActive property, 233–234
IsCheckable property, 131–132
IsChecked property
  with CheckBox control, 122
  with MenuItem control, 131
  with RadioButton control, 134
IsEnabled property
  function of, 70
  with RichTextBox control, 139
  with TextBox control, 142
IsExpanded property, 105
IsFocused property, 233–234
IsMouseOver property
  EllipseButton Triggers and, 278–280
  Null background and, 232
  overview, 229–230
IsReadOnly property
  with RichTextBox control, 139
  with TextBox control, 142
IsSelectRangeEnabled property, 141
IsSnapToTickEnabled property, 141
IsThreeState property
  with CheckBox control, 122
  with RadioButton control, 134
Italic element, 375
Italic inline, 88
item controls, 325
item node selected, 518
ItemsSource property
  in OrgChartMasterDetail program, 332–333
  in StudentData program, 343
ItemTemplate property, 327–329

K

key frame animation
  defined, 552
  discrete, 250–251
  linear, 249
  spline, 249–250, 258
keys, for resources, 194–196
KeySpline attribute, 250

L

L/l command, 148
LabelAndRectStyle program, 221

LabeledBarChart program, 404
LabeledProgressBar, 543
Label(s)
  control template, 539–540
  creating a better template, 265–266
  disabled, 268–269
  in FrameApp program, 385–386
  functions of, 82–83
  InterestingLabelTemplates program and, 266–268
  in LayoutVsRender program, 362–363
  overview, 432–433
  RotateTransform and, 360
  SimpleLabelTemplate program and, 265
  in UnnamedStyles program, 222–223
LargeChange property, 140
layout controls
  Canvas, 102–103, 443–444
  DockPanel, 103–104, 444–445
  Expander, 105, 445–446
  Grid, 105–107, 447–448
  overview, 101–102
  ScrollViewer, 107–108, 448–449
  StackPanel, 108–109, 449–450
  StatusBar, 109, 450–451
  summary, 117
  TabControl, 110–111, 451–454
  ToolBar/ToolBarTray, 111–113, 454–456
  UniformGrid, 113–114, 456–457
  Viewbox, 114–115, 457–458
  WindowsFormsHost, 115–117, 458
  WrapPanel, 117, 459
LayoutTransform property
  function of, 156, 362–363
  with Triggers, 230–231
LayoutVsRender program, 362–363
lighting, for 3D drawing, 396–398
Lights program, 397–398
Line control, 147
linear animations, 247–248
linear key frame animation, 249
LinearGradientBrush
  Brush types, 500–501
  properties and features of, 172–173
LineBreak element, 375
LineBreak inline, 88
LineHeight property, 87
LineStackingStrategy property, 87
List control, 373–374
ListBox
  binding Scores, 344
  binding student name, 342–343
  properties and building of, 128–129
  templates, for data binding, 327–329, 523
  user interaction control, 470–471
ListView
  overview, 433–434
  spatial control function, 92–94
local values, 224
locations, for event Triggers, 237–240
logical trees, 6
LookDirection camera property, 394–395
loose XAML pages
  in Expression Blend, 38
  type of application, 9

M

M/m command, 148
MagnifiedDrawingBrush program, 175–177
MagnifiedLines program, 166
MagnifiedVisualBrush program, 177–178
MakeBox routine, 402
MakeDrawingBrush program, 50
MakeLabel routine, 404
MakeRectangle routine, 401–402
MakeSurface program, 405
Margin property
  for control's alignment, 64
  with Ellipse control, 147
  with Rectangle control, 151–152
master-detail data, 332–333
materials, for 3D drawing, 399–400
MatrixTransform class, 360
MaxDropdownHeight property, 124
MaxHeight property, 65
Maximum property, 140
MaxWidth property, 65
media, Storyboards and, 256–257
MediaCommands class, 530
MediaElement
  overview, 434
  properties and features, 77–79, 487–491
MediaTimeLine object, 257
Menu control
  overview, 471–473
  properties and features of, 130–132
MenuItem objects
  with ContextMenu control, 125
  with Menu control, 130–132
  mouse over, 231
MenuMouseOverTriggers program, 230–231
merged resource dictionaries
  features of, 204–207
  in Skins program, 294–295
  for specific themes, 285–286
MeshGeometry3D
  Normals property and, 391–393
  Positions property, 389
  in RectanglesAndBoxes program, 402
method feature, of controls, 74
Microsoft Expression Blend Unleashed (Williams, Sams), 37
Microsoft Word, for XPS documents, 368
Microsoft XPS Document Writer
  downloading/installing, 368
  as printer, 306, 309
Microsoft XPS Viewer, 368–369
MinHeight property, 65
mini-language
  features and commands, 148–149
  Path, 507–509
Minimum property, 140
MinWidth property, 65
m_IsDirty, 354
Miter value, 168–169
mix and match key frames, for animation, 252–254
ModelVisual3D object, 388–389
ModifiedScrollBar control template, 545–547
MouseDown event
  in SkinInterfaces program, 298–301
  in Skins program, 294
multi-page printouts, 309–312
Multiiple value, 128–129
multimedia support, in WPF, 11
multiple TargetType attributes, 220–221
MultiWindowResources program, 204–206
MyShape property, 414–415

N

Name property, 69, 70
named Styles
  overview, 535–536
  property values and, 224
names
  importance for controls, 30–31, 70
  for template control, 269
namespace declarations
  data binding XAML and, 334
  resource dictionaries and, 204
Navigate method
  with Frame control, 126
  with NavigationService, 385
navigation-based applications
  Frame control, 385–386
  Hyperlink, 381–382
  NavigationService, 382–385
  overview, 379
  Page object, 380–381
  summary, 386
NavigationCommands class, 531
NavigationService object, 382–385
NavigationWindow, 381
new projects
  in Expression Blend, 38–39
  in Visual Studio, 22–23
Next button, 379, 382
non-default event handlers, 33
non-specific TargetType attributes, 219–220
non-treelike structure, in WPF, 7–8
None value, 115
Nonzero value, 170
normal property values, of resource types, 197
normal Style, 272–273
Normals property
  MeshGeometry3D and, 391–393
  outward orientation and, 389–391
Nothing, in Visual Basic, 365
null
  for margin Thickness, 308–309
  for unfilled areas, in C#, 365
Null background, 232
NumberList program, 325

O

Object Browser, 200
object trees
  logical, 6
  visual, 7
Objects and Timeline, in Expression Blend, 54–55
objects, placing in Path control, 150
Opacity
  program, 167
  setting with Triggers, 231–233
Opacity=0, template trick, 269
OpacityMask property, 67
optical illusions, with orthographic cameras, 395
order node selected, 517
OrderTracking program, 289–292
OrgChartMasterDetail program, 332–333
OrgChartTreeView program, 329–332
OrgChartXaml program, 334–335
OrgChartXml program, 336, 337–338
OrgTreeXml program, 336–337
Orientation property, 140
  with StackPanel control, 108–109
  with ToolBarTray control, 113
  with WrapPanel control, 117
OrientedProgressBar control template, 542
orthographic camera, 394–395
outer Normal, 389–391
OuterGlowBitmapEffect property, 363–364
outward orientation, for 3D drawing, 389–391
OverflowMode property, 112–113
overwriting resources, 206

P

Pad value, 170–171
Padding property, 65
Page object, 380–381
PageApp program, 383–385
PageBorder program, 380–381
PageContent property, 370–371
PageDocument program, 381–382
Paragraph control, for FlowDocuments, 374–376
Parent property, 69–70
parent Style, 225
Password property, 133
PasswordBox
  overview, 473
  properties and features of, 132–133
PasswordChar property, 133
Path
  animation, 251–252, 552
  data binding, 317–318, 323–325
  holding objects, 149–150
  mini-language, 148–149, 507–509
  overview, 147
PathBezier program, 149
PathObjects program, 150
PauseStoryboard control class, 255–256
Pen(s)
  in Expression Blend, 52–53
  overview, 165–166
  properties of, 493–494
  Stroke, 166–167
  StrokeDashArray, 167–168
  StrokeDashCap/DashOffset/EndLineCap/StartLineCap, 168
  StrokeLineJoin, 168–169
  StrokeMiterLimit, 169
  StrokeThickness, 167
  units, 167–168
PensAndBrushes program, 165, 166
PersonList program, 326
PersonSource program, 320
perspective camera, 394–395
PictureFilledText program, 170
Placement property, 84
PlacementRectangle property, 84
PlacementTarget property, 84
Planets program, 327–328
PlanetsPanel program, 328–329
PointLight, 396–398
Polygon
  2D drawing control, 150
  skins and, 298–301
PolygonPolylineDifference program, 151
Polyline object, 151
pop-up menu, 124–125, 435
Popup control
  overview, 434–435
  properties and features of, 83–86
PopupPlacement program, 86
Position camera property, 389, 394–395

predefined Commands
with actions, 349–352
without actions, 352–354
predicates, XPath, 514
PreviousData value, 322
PrintDialog class
PrintDocument method in, 310–312
ShowDialog method in, 304–305
PrintDocument method
for documents, 312
in PrintDialog object, 310–312
PrintFixedDocument program, 315–316
PrintFlowDocument program, 313–315
printing
code-generated output, 309–312
document pictures, 304
documents. *See* document printing
overview, 303–304
summary, 316
visual objects, 304–309
PrintShapes program, 310–312
PrintVisual
advanced printing with, 306–309
simple printing with, 305–306
PrintWindow program, 306–309
ProgressBar
control template, 541–542
overview, 435–436
spatial control function, 94–97
Projects window tab, in Expression Blend, 40
Properties window
Brushes. *See* Brushes
creating event handlers using, 185–186
in Expression Blend, 42–43, 53
for WPF in Visual Studio, 29–31
property animation, 295–296
property element syntax, 155–159
property inheritance
features of, 159–160
in WPF, 15
property resources, 53
property Trigger(s)
animations, 241–243
defined, 235
IsActive and IsFocused, 233–234
IsMouseOver, 229–230
overview, 550–551
setting LayoutTransform/BitmapEffect, 230–231
setting Opacity, 231–233
in Styles, 227–228
Text, 228–229
property value
normal resource, 197
precedence, 224–225
PropertyElements program, 157–159
property(ies)
alignment, 61–64
attached, 160–163
basics, 153–154
color, 66–67
column. *See* column properties
common. *See* common properties
defined, 74
dependency, 14, 319
Document, 135
EmbossBitmapEffect, 363–364
EndPoint, 172–173
font, 65–66, 421–422
From, 246, 247, 258–259
general, 417–421
image shape, 67–69
Margin, 64
miscellaneous, 69–71
most useful Border, 90
oddity, with Properties window, 30
overview, 153
Padding, 65
for Popup placement, 84
precedence rules, 224–225
row and column, 27
simplifying with Styles, 213–217
Stroke, 52–53
summary, 163
target, in data binding, 317–318
TextBlock. *See* TextBlock control
TileMode, 47–49
Triggers. *See* Trigger(s)
type converters, 154–155
values, 15, 197
PropertyTriggerButton program, 242–243

Q

Q/q command, 149

R

RadialGradientBrush
in GradientOpacityMask program, 68
key properties of, 501–502
overview, 173–174
RadioButton
overview, 541
properties and features of, 133–134
user interaction control, 474–475
RadiusX/Y properties, 173–174
Rectangle control
for PrintWindow program, 308–309
properties and features of, 151–152
in SkinInterfaces program, 298–301
RectangleResources.xaml, 204–205
RectanglesAndBoxes program, 400–402
RedRectangles program, 216–217
Reflect value, 170–171
ReflectingBrush program, 51
RelativeSource property, 320–322, 520
Relaxed Delegates
event name attributes, 186–189
in Visual Basic, 34
RemoveBackEntry property, 385
RemoveStoryboard control class, 255–256
RenderTransform property, 362–363
Repeat value, 170–171
RepeatBehavior property, 245
RepeatButton
properties and features of, 134–135, 475–476
ScrollBar's arrows as, 141
RepeatingSound program, 257
resource skins, 292–295
resource types
controls, 197–199
normal property values, 197
overview, 196
simple data types, 199–201
ResourceDictionary
functions of, 194, 200–201
merged, 204–207
with OrderTracking program, 289–292
resource skins and, 292, 294–295
skins and, 287–288
for specific themes, 285–286
ResourceHierarchy program, 202–204
resources
defining, 194–196
dynamic, 207–211
hierarchies, 201–204

merged resource dictionaries, 204–207
overview, 193–194
summary, 211
types. *See* resource types
`Resources` property element, 194
Resources window, 54
restricted skins, 293
`ResumeStoryboard` control class, 255–256
retained-mode drawing, in WPF, 12–13
reusing code
abuse of, 194
resources and. *See* resources
`RichTextBox`
additional features, 138–139
editing commands feature, 135–137
overview, 135, 476–481
spell checking feature, 137
undo and redo feature, 137–138
right-hand rule, 389–390
`RotateTransform` transformation, 359
`Round` value, 168–169
`RoutedUICommand` object, 355
RovingButton program, 248
RovingButtonDiscrete program, 251
RovingButtonMixedKeyFrames program, 252–254, 255–256
RovingButtonWithKeyFrames program, 249
RovingButtonWithPath program, 251–252
RovingButtonWithSplines program, 250
row properties
with `Grid` control, 105–107
with `Gridsplitter` control, 127–128
with `StackPanel` control, 108–109
with `Table` control, 376–378
with `UniformGrid` control, 113–114
with `WrapPanel` control, 117
with XAML Editor, 27
`Run`
element, 375
inline, 88
run time
attached event handlers, 34
event handlers and, 189–190

S

`S/s` command, 149
SaveFixedDocument program, 372
saving changes, in Visual Studio and Expression Blend, 180
`sbSpinStoryboard` element, 237–238
`ScaleTransform` transformation, 359
`ScrollBar`
control template, 543–545
overview, 482
properties and features of, 140–141
`ScrollViewer` layout control
overview, 448–449
properties and functions of, 107–108
`Section` control, 376
`SeekStoryboard` control class, 255–256
`SelectColor` program, 409–412
`SelectedIndex` property, 110, 124
`SelectedItem` property, 110, 124
`SelectedValue` property, 343
`SelectedValuePath` property, 343
selection symbols, `XPath`, 513–514
selection `XPath` expressions, 516–517
`SelectionMode` property, 128–129
separate designers theory, 17
`Separator` content control
overview, 436
spatial function, 97–98
`Setter` element
classes used in, 222
functions of, 215–217
`ShapesPaginator` class, 311–312
`ShowDialog` method, 304–305
ShowFlowDocument program, 373–378
`ShowsPreview="False"` property, 127–128
ShowTemplate program, 281–282
ShowThemes program, 284–285, 286
Silverlight
additional information on, 415–416
`BouncingBalls` program, 412–415
color selection program, 408–412
overview, 8–9, 407–408
summary, 416
Silverlight 3 Programmer's Reference (Little), 415
Silverlight 4 Problem-Design-Solution (Lecrenski), 415
simple data types, 199–201
simple linear animations, 247–248
SimpleClock program, 208–210
SimpleFixedDocument program, 370–371
SimpleLabelTemplate program, 265
SimplePrintWindow program, 305
`Single` value, 128–129
SingleMeshSpheres program, 392
size/position properties
additional properties, 64–65
alignment, 61–64
overview, 61
size specifications, for child controls, 103–104
`SizeChanged` event handler, 412–415
SizeInContainers program, 62
SizeInSingleChildContainers program, 63–64
sizing windows, 28
`SkewTransform` transformation, 359
SkinInterfaces program, 298–301
skinning, 295–296
skin(s)
animated, 295–296
controls and events, 298
defined, 283
dynamically loaded, 297–301
overview, 287–288
purposes, 288–292
resource, 292–295
summary, 301–302
Skins program, 293–295
`Slider`, 141–142
properties and features of, 263
`Slider` control, 483
`SmallChange` property, 140
`SolidColorBrush`
`Brush` types, 502–503
features of, 171
Solution Explorer, 28–29
sound, inside `Storyboards`, 256–257
SoundEvents program, 256
`SoundPlayerAction` control class, 256
source, command, 348
source, data binding
`DataContext`, 322–323
defined, 317–318
`ElementName`, 319
`RelativeSource`, 320–322
`Source`, 319–320
`Source` property
data binding, 319–320
with `Frame` control, 126
`with NavigationService`, 385
`Span` element, 375
`Span` inline, 88

spatial controls
Border, 89–90, 425–426
BulletDecorator, 91, 426
GroupBox, 91–92, 133–134, 431
ListView, 92–94, 433–434
overview, 89
ProgressBar, 94–97, 435–436, 541–542
Separator, 97–98, 436
summary, 99
TreeView. *See* TreeView control
specific themes, 285–287
SpecularMaterial, 399–400
SpeedRatio property, 245
spell checking, with RichTextBox control, 137, 142
SpheresWithNormals program, 392
SpinButton storyboard, 56
spline key frame animation
in BouncingBall program, 258
overview, 249–250
splines, 249
split windows, with Window Designer/XAML Editor, 28
SpotLight, 396–398
SpreadMethod property, 170–171
Square value, 168, 169
StackPanel
layout control, 4, 449–450
in LayoutVsRender program, 362–363
in Planets program, 328
properties and features of, 108–109
in UnnamedStyles program, 222–223
WrapPanel compared to, 117
StackPanel container, 62–64
StackPanelButton program, 16
stand-alone application, 9
Star program, 13
StartPoint property, 172–173
static objects, for custom commands, 355–356
static resources vs. dynamic resources, 207–211
StaticResource keyword
in ButtonResources program, 214–215
in ButtonStyles program, 217–218
in ControlStyle program, 220
in LabelAndRectStyle program, 221
in RedRectangles program, 216
StatusBar layout control
functions of, 109
overview, 450–451
StopStoryboard control class, 255–256
Storyboards
for AnimatedText program, 254–255
animation and, properties of, 245–247
animation types. *See* animation types
animation without, 259–261
controlling, 255–256
definition/overview, 243–244
easy animation and, 261–262
in Expression Blend, 55–56
media and timelines in, 256–259
properties, 551
in Styles, 240–241
transformations and, 238
Stretch property
Image control, 76
with Viewbox control, 64, 114–115
StretchDirection property, 76
String data types, 254
Stroke properties
for Pens, 52–53, 166–167
summary, 146
StrokeDashArray property, 146, 167–168
StrokeDashCap property, 146, 168
StrokeDashOffset property, 146, 168
StrokeEndLineCap property, 146, 168
StrokeLineJoin property, 146, 168–169
StrokeMiterLimit, 494
StrokeMiterLimit property, 169
StrokeStartLineCap property, 146, 168
StrokeThickness property, 146, 167
Student
details, 343–344
name ListBox, 342–343
StudentData program
binding Scores ListBox, 344
binding Student name ListBox, 342–343
displaying Student details, 343–344
loading data, 339–341
overview, 338–339
saving changes, 341–342
Style(s)
child, 225
default, property values and, 224
in Expression Blend, 53–54
GlassButton program, 272–273
inheritance, 225–227
inherited, 537
modifying control appearance, 15–16
multiple TargetTypes in, 220–221
named, 224, 535–536
non-specific TargetTypes in, 219–220
overview, 213
property Triggers in. *See* property Trigger(s)
property value precedence and, 224–225
simplifying properties, 213–217
Storyboard elements in, 240–241
summary, 234
unnamed, 221–223, 224, 536–537
subclass, 159
surface Normal, for a triangle, 389–391
surfaces, 3D, 405
SysDataTypes program, 200
system themes, 284–285

T

T/t command, 149
TabControl
overview, 451–454
properties and features of, 110–111
Table control, 376–378
TabStripPlacement property, 110
Tag property
function of, 70
in SkinInterfaces program, 298–301
in Skins program, 294–295
target, command, 348
target, data binding, 317–319
target property, data binding, 317–319
TargetType attributes
multiple, 220–221
non-specific, 219–220
with unnamed Styles, 221–223
TemplatedParent program, 321
Template(s)
binding, 265–266
changing control appearance, 266–268

ComboBox, 327–329, 523
ContentPresenter, 264–265
control. *See* control templates
EllipseButton controls, 277
EllipseButton program, 275–276
EllipseButton Triggers, 278–280
events, 268–269
GlassButton program, 270–271
GlassButton Styles, 272–273
GlassButton Template overview, 271–272
GlassButton Triggers, 274–275
HierarchicalDataTemplate, 329–332, 335, 337–338
ListBox, 327–329, 523
modifying control structure and behavior, 16
overview, 263–264
researching, 280–282
summary, 282
TreeView, 329–332, 523–524
tricks, 269, 280
Tetrahedrons program, 398
text copying, 347–348
Text element, 374–375
TextBlock control
ButtonResources program and, 195–196
features of, 87–89
overview, 437–439
in Planets program, 328
TextBox control
features of, 142–143
or Label, 83
overview, 484–486
in Planets program, 328
predefined Commands in, 349–352
TextBoxCommands program, 349–351
TextBoxToLabel program, 318
TextTriggers program, 229
TextTrimming property, 87
textual controls
DocumentViewer. *See* DocumentViewer control
FlowDocument. *See* FlowDocuments
Label. *See* Label(s)
overview, 79
Popup, 83–86, 434–435
TextBlock. *See* TextBlock control
ToolTip, 70, 89, 439–440
TextureCoordinates property, 393–394
textured rectangles, 401–402
TextWrapping property, 87
themes
defined, 283
specific, 285–287
system, 284–285
three-dimensional drawing
basic structure/geometry, 388–389
building complex scenes. *See* complex 3D scenes
cameras, 394–395
lighting, 396–398
materials, 399–400
Normals, 391–393
outward orientation, 389–391
overview, 387–388
Positions/TriangleIndices, 389
summary, 405–406
TextureCoordinates, 393–394
TickFrequency/Placement properties, 141
Ticks property, 141–142
TileBrush class
DrawingBrush, 175–177
in Expression Blend, 46, 52
ImageBrush, 174–175
overview, 174
VisualBrush, 177–178
TileMode property
in Expression Blend, 46–47, 48–49
with ImageBrush, 174–175
timelines, Storyboards and, 257–259
To property, with animation, 246
ToolBar/ToolBarTray layout controls
overview, 454–456
properties and features of, 111–113
Toolbox, 28
ToolTip
content control, 89
overview, 439–440
property, 70
ToString method, 326–327
transformations
combining, 361
graphics, 11–12
Layout/RenderTransform, 362–363
overview, 359–361
Storyboard element and, 238
summary, 366
transformed gradient Brushes, 45
TranslateTransform transformation, 359
transparent background, 232
TransparentEffects Program, 365
TreeView control
overview, 440–442
spatial control function, 98–99
templates, 329–332
templates, for data binding, 523–524
TreeViewItem, subitem font properties, 441
TriangleIndices property, 389
Trigger(s)
EllipseButton program, 278–280
Event. *See* EventTriggers, and animation
in Expression Blend, 56–57
GlassButton, 274–275
order of applying, 275
property. *See* property Trigger(s)
Triggers, and animation
animation classes, 552–553
EventTriggers, 549–550
property Triggers, 550–551
Storyboard properties, 551
two-dimensional drawing controls
Ellipse/Line/, 147
overview, 145
Path, 147–150
Polygon, 150
Polyline, 151
Rectangle, 151–152
stroke properties, 146–147
summary, 152
type converters, XAML, 154–155
TypeAColor program, 320–321

U

UI. *See* user interface (UI)
UnChecked event, 122
Underline
element, 375
inline, 88
undo and redo
with RichTextBox control, 137–138
with TextBox control, 142
unfilled areas, 365
Uniform value, 115

UniformGrid container, 62–64
UniformGrid layout control
  functions of, 113–114
  overview, 456–457
UniformToFill value, 115
unit indicators, 106
unit Normal, 389–391
unnamed Styles
  features of, 221–223
  overview, 536–537
  property values and, 224
UnnamedStyles program, 222–223
UpDirection camera property, 394–395
UseImageBrushes program, 48–49
UseMediaElement program, 78
user interaction controls
  Button. *See* Button
  CheckBox, 121–122, 462–463, 540
  ComboBox. *See* ComboBox control
  ContextMenu. *See* ContextMenu
  Frame, 126, 385–386, 465–467
  Gridsplitter, 127–128, 467–470
  ListBox. *See* ListBox
  Menu, 130–132, 471–473
  overview, 119–120
  PasswordBox, 132–133, 473
  RadioButton, 133–134, 474–475, 541
  RepeatButton, 134–135, 141, 475–476
  RichTextBox. *See* RichTextBox
  ScrollBar, 140–141, 482, 543–545
  Slider, 141–142, 263, 483
  summary, 143
  TextBox. *See* TextBox control
user interface (UI)
  attaching code-behind to. *See* events and code-behind
  for BlockUIContainer control, 373
  separate from code behind it, 17
UseTileBrushes program, 52

V

V/v command, 148
Value property, 140
values, Placement property and, 85–86
vector graphics, 13
VerticalAlignment property
  for control's alignment, 61–64
  with Ellipse control, 147
  with Rectangle control, 151–152
VerticalAlignment="Stretch" property, 127–128
VerticalContentAlignment property, 129
VerticalOffset property, 84
VerticalScrollBarVisibility
  property default, 449
  with ScrollViewer control, 107–108
VerticalScrollBarVisibility property
  with RichTextBox control, 139
  with TextBox control, 142
Viewbox control
  Brushes and, 506
  in Expression Blend, 47–49
  overview, 457–458
  for PrintWindow program, 308–309
  properties and features of, 114–115
  Stretch property, 64
ViewFixedDocument program, 369
Viewport3D control, 388–389
Viewports
  Brushes and, 506
  in Expression Blend, 47–49
Visibility property
  function of, 71
  in Skins program, 294
Visible value, 107–108
Visual Basic
  event handlers in Visual Studio, 34
  Handles clause in, 190
  Nothing for unfilled areas, 365
  Relaxed Delegates, 186–189
Visual Basic 2010 Programmer's Reference (Stephens), 21
visual brushes, 50–51
visual objects, printing
  advanced, with PrintVisual, 306–309
  overview, 304–305
  simple, with PrintVisual, 305–306
Visual Studio
  building color selection program in, 408–412
  creating event handlers in, 185–186
  default namespace declarations, 204
  displaying XPS documents, 369
  editors in, 29
  events/code-behind in. *See* events and code-behind
  finding data types in, 200
  for WindowsFormsHost control, 117
  WPF in. *See* WPF in Visual Studio
visual trees, 7
VisualBrush
  Brush types, 503–505
  in Expression Blend, 50–52
  properties and features of, 177–178

W

web pages/sites
  for downloading Microsoft XPS Viewer, 369
  for editing commands, 137
  for exporting files in XPS, 368
  for Expression Blend, 37
  for Expression Blend animation, 262
  for ListView examples, 94
  for MatrixTransform class, 360
  for Microsoft standard themes, 286
  for researching templates, 281
  for RichTextBox control, 135
  for RichTextBox features, 139
  for Silverlight, 9, 407, 416
  for WPF's 3D capabilities, 405
Width property
  for control's alignment, 61–64
  with Ellipse control, 147
  with Rectangle control, 151–152
Width="5" property, 127–128
Window Designer
  in Expression Blend, 40–41
  for WPF in Visual Studio, 23–25
Window tabs, 31
Window_Loaded event handler, 333, 340
Windows Presentation Foundation. *See* WPF (Windows Presentation Foundation)
WindowsFormsHost layout control
  functions of, 115–117
  overview, 458
WPF in Visual Studio
  code-behind, 31
  default event handlers, 32–33
  new projects, 22–23

non-default/handmade event handlers, 33
overview, 21
Properties window, 29–31
runtime attached/other Visual Basic event handlers, 34
Solution Explorer, 28–29
summary, 35
Toolbox, 28
Window Designer, 23–25
Window tabs, 31
XAML Editor, 25–27
WPF overview
application types, 9–10
disadvantages, 19
goals and benefits. *See* goals of WPF
introduction, 1–3
non-treelike structure, 7–8
object trees, 6–7
Silverlight, 7–8
summary, 20
WPF explained, 3–4
XAML explained, 4–6
WPF (Windows Presentation Foundation)
3D capabilities. *See* 3D drawing
Expression Blend application and. *See* Expression Blend
goals. *See* goals of WPF
`WrapPanel`
container, 62–64
control functions, 117
overview, 459
in PlanetsPanel program, 328–329
`UniformGrid` compared to, 114

X

`X1` property, with `Line` control, 147
`X2` property, with `Line` control, 147
XAML Browser Application (XBAP), 9
XAML Editor
colorized code in, 27
for WPF in Visual Studio, 25–27
XAML (eXtensible Application Markup Language)
attribute, 5
binding to classes in, 521
building `FixedDocuments` in, 370–371
collections in, 522
commands in, 531–532
data binding, 333–335
defining objects using classes, 326
IntelliSense, 186
loading with event handlers, 297
overview, 4–6
type converters, 154–155
XML data in, 511–512
`{x:Null}` for unfilled areas, 365
XBAP, 9
`X:Key` attribute
for resources, 194–196
for `Styles`, 215, 216
XML
binding to, 512–513
data binding, 335–338
Paper Specification documents. *See* XPS (XML Paper Specification) documents
in XAML code, 511–512
`XmlDataProvider`, 336
`{x:Null}`, in XAM, 365
`XPath`
binding to XML data, 512–513
constraint functions, 514–516
predicates, 514
selection expressions, 516–517
selection symbols, 513–514
XML in XAML, 511–512
XPS (XML Paper Specification) documents
building, 368
displaying, 368–369
saving `FixedDocuments` as, 371–372
`XpsDocumentWriter` class
`FlowDocument` printing and, 313–315
saving `FixedDocuments`, 372
`X:Type` markup extension, 216

Y

`Y1` property, with `Line` control, 147
`Y2` property, with `Line` control, 147

Z

`Z/z` command, 149
Zoom program, 13 element, 375